

# SAFETY DATA SHEET

1. Identification

**Product identifier** HP LaserJet Q5949A-X-XC-XD Print Cartridge

Other means of identification

Recommended use This product is a toner preparation that is used in HP LaserJet 1160/1320/3390/3392 series

printers.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

HP Inc.

1501 Page Mill Road Palo Alto, CA 94304-1112

**United States** 

650-857-5020 Telephone

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

### 2. Hazard(s) identification

**Physical hazards** Not classified. Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None.

Not available. **Hazard statement** 

**Precautionary statement** 

Prevention Not available. Not available. Response Not available. Storage **Disposal** Not available.

Hazard(s) not otherwise

None of the other ingredients in this preparation are classified as carcinogens according to classified (HNOC)

ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	<u></u>	
Polyester resin	Polyester resin	CBI	<55	_
Iron oxide		1317-61-9	<50	_
Amorphous silica	Amorphous silica	7631-86-9	<3	

Material name: Q5949A-X-XC-XD SDS US 1/7

9547 Version #: 04 Revision date: 17-Apr-2018 Issue date: 16-Apr-2015

4. First-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

**Most important** 

symptoms/effects, acute and

delayed

Not available.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical Special protective equipment

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

None known.

CO2, water, or dry chemical

None known.

Not available.

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

**Environmental precautions** 

Minimize dust generation and accumulation.

considerations.

Not available.

7. Handling and storage

Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

Value

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

8. Exposure controls/personal protection

Occupational exposure limits This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Amorphous silica (CAS TWA 6 mg/m3

Type

7631-86-9)

Components

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Exposure guidelines USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Material name: Q5949A-X-XC-XD
9547 Version #: 04 Revision date: 17-Apr-2018 Issue date: 16-Apr-2015

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

# 9. Physical and chemical properties

Appearance Fine powder

Physical stateSolid.FormsolidColorBlack.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not applicable

Vapor density Not applicable

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicable

Other information

Oxidizing properties No information available.

Percent volatile Negligible

**Softening point** 212 - 302 °F (100 - 150 °C)

Specific gravity 1.4 - 1.8

VOC Not applicable

# 10. Stability and reactivity

Reactivity Not available.

Chemical stability Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

Material name: Q5949A-X-XC-XD SDS US

### 11. Toxicological information

#### Information on likely routes of exposure

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Contact with skin may result in mild irritation. Skin contact Contact with eyes may result in mild irritation. Eye contact Ingestion is not a likely route of exposure. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity

**Product Species Test Results** 

Q5949A-X-XC-XD

**Acute** 

LD50 > 2000 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

# **US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met. **Further information** Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### 12. Ecological information

**Ecotoxicity** LL50: > 1000 mg/l, Fish, 96.00 Hours

Product		Species	Test Results
Q5949A-X-XC-XD			
Aquatic			
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours
Fish	LL50	Fish	> 1000 mg/l, 96 Hours
Persistence and degradability	Not available.		
Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		

Material name: Q5949A-X-XC-XD SDS US

#### 13. Disposal considerations

### **Disposal instructions**

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

UN number UN2807

UN proper shipping name

Magnetized Material

Transport hazard class(es)

Class 9 Subsidiary risk -

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.


**IMDG** 

Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

#### IATA



#### **Further information**

22or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material.

### 15. Regulatory information

**US federal regulations** 

US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

Material name: Q5949A-X-XC-XD

9547 Version #: 04 Revision date: 17-Apr-2018 Issue date: 16-Apr-2015

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

Not Listed

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

# 16. Other information, including date of preparation or last revision

Issue date16-Apr-2015Revision date17-Apr-2018

Version # 04

Other information This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

**Revision information** 

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Physical and chemical properties: Color Toxicological Information: Toxicological Data Toxicological information: Eye contact Toxicological information: Ingestion Toxicological information: Inhalation Toxicological information: Skin contact Ecological Information: Ecotoxicity

14. Transport Information: Material Transportation Information

Transport information: Further information

Other information, including date of preparation or last revision: Disclaimer

Material name: Q5949A-X-XC-XD sps us

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: Q5949A-X-XC-XD SDS US